38.2

SECTION 38

(By-law 94-1, S.9)

RESIDENTIAL FOUR ZONE (R-4)

No person shall erect, nor use any building in whole or in part, nor use any land, nor permit to use any land, in whole or in part, within an R-4 Zone for any purpose other than one or more of the following uses, or uses accessory thereto. Such erection or use shall also comply with the prescribed regulations:

(Amended: By-law 2006-174, S.1) (City of Kitchener Housekeeping Amendment)

38.1 PERMITTED USES

.1 For Single Detached Dwelling and Duplex Dwelling (By-law 94-183, S.21[b])
REGULATIONS
Single Detached Dwelling
Semi-Detached Dwelling
Semi-Detached Duplex Dwelling (Amended: By-law 2021-040, S.22)
Residential Care Facility
Private Home Day Care
Lodging Houses (By-law 2024-135, S.28)
Home Business
Duplex Dwelling (By-law 94-183, S.20)
Additional Dwelling Unit (Detached) (By-law 2021-040, S.16)
Additional Dwelling Unit (Attached) (By-law 2023-102, S.16)

Minimum Lot Area 235.0 square metres Minimum Lot Width 9.0 metres (By-law 2000-86, S.10) Minimum Corner Lot Width 15.0 metres (By-law 2000-86, S.9) Minimum Front Yard 4.5 metres, except no part of any building used to accommodate off-street parking shall and be located closer than 6.0 metres to the Minimum Side Yard street line. Abutting a Street Minimum Front Yard for lands identified on a) For dwellings and additions to dwellings that project into the existing front yard Appendix 'H', and any principal dwelling

City of Kitchener Zoning By-law 85-1

constructed after the effective date of this by-law on a lot containing an Additional Dwelling Unit (Detached) (Amended: By-law 2021-040, S.19) constructed after the effective date of this by-law:

- i) The average of the front yards of the abutting lots, minus 1.0 metre;
- ii) In the case where there is a vacant lot abutting the affected lot, the average of the front yards, minus 1.0 metre, of the closest building on the next adjacent lot, which must be no more than 30 metres from the affected lot's closest side lot line;
- iii) In the case of a corner lot, the front yard, minus 1.0 metre, of the abutting lot on which the dwelling faces the same side of the street

Notwithstanding the foregoing, no part of any building used to accommodate off-street parking shall be located closer than 6.0 metres to the street line.

- b) In all other cases, the minimum front yard shall be 4.5 metres. Notwithstanding the foregoing, no part of any building used to accommodate off-street parking shall be located closer than 6.0 metres to the street line.
- (By-law 2018-094. S.4)
- a) For dwellings and additions to dwellings that project into the existing front yard constructed after the effective date of this by-law:
 - i) The average of the front yards of the abutting lots, plus 1.0 metre;
 - ii) In the case where there is a vacant lot abutting the affected lot, the average of the front yards, plus 1.0 metre, of the closest building on the next adjacent lot, which must be no more than 30 metres from the affected lot's closest side lot line;

Maximum Front Yard for lands identified on Appendix 'H', and any principal dwelling constructed after the effective date of this by-law on a lot containing an Additional Dwelling Unit (Detached) (Amended: By-law 2021-040, S.20) Minimum Side Yard

iii) In the case of a corner lot, the front yard, plus 1.0 metre, of the abutting lot on which the dwelling faces the same side of the street,

Notwithstanding the foregoing, no part of any building used to accommodate off-street parking shall be located closer than 6.0 metres to the street line.

b) In all other cases there is no maximum front yard.

(By-law 2018-094, S.4)

- a) 1.2 metres, or
- b) 0 metres to a maximum of 0.2 metres on one side, and a minimum of 1.5 metres on the other side for a dwelling with a building height not exceeding 9.0 metres and subject to Section 5.20 of this bylaw.

Amended: (By-law 2009-105, S.14)

- c) 0 metres to a maximum of 0.2 metres on one side, and a minimum of 2.5 metres on the other side for a dwelling with a building height exceeding 9.0 metresand subject to Section 5.20 of this by-law.
 Amended: (By-law 2009-105, S.14)
- d) 3.0 metres on one side where the driveway leading to a required parking space is situated between the dwelling and the lot line.

Minimum Rear Yard7.5 metresMaximum Building Height10.5 metresMaximum Lot Coverage
(By-law 2003-163, S.38)A total of 55 percent, of which the habitable
portion of the dwelling shall not exceed 45
percent and the accessory buildings or
structures, whether attached or detached,
shall not exceed 15 percent.
(By-law 2003-163, S.38)

In accordance with Section 6.1 of this By-law.

.2 For Semi-Detached Dwelling and Semi-Detached Duplex Dwelling

Off-Street Parking

(Amended: By-law 2021-040, S.2)

Minimum Lot Area (By-law 94-183, S.22)

Minimum Lot Width (By-law 94-183, S.22)

Minimum Corner Lot Width (By-law 2000-86, S.11)

Minimum Front Yard and Minimum Side Yard Abutting a Street

Minimum Front Yard for lands identified on Appendix 'H', any Semi-Detached Duplex Dwelling in a building constructed after the effective date of this by-law, and any principal dwelling constructed after the effective date of this by-law on a lot containing an Additional Dwelling Unit (Detached) (Amended: By-law 2021-040,S.24)

235.0 square metres for each semi-detached house.

- 7.5 metres for each semi-detached house.
- a) 20 metres for each dwelling; and
- b) 12.5 metres for each dwelling unit.

4.5 metres except no part of any building used to accommodate off-street parking shall be located closer than 6.0 metres to the street line.

- a) For dwellings and additions to dwellings that project into the existing front yard constructed after the effective date of this by-law:
 - i) The average of the front yards of the abutting lots, minus 1.0 metre;
 - ii) In the case where there is a vacant lot abutting the affected lot, the average of the front yards, minus 1.0 metre, of the closest building on the next adjacent lot, which must be no more than 30 metres from the affected lot's closest side lot line;
 - iii) In the case of a corner lot, the front yard, minus 1.0 metre, of the abutting lot on which the dwelling faces the same side of the street

Notwithstanding the foregoing, no part of any building used to accommodate off-street parking shall be located closer than 6.0 metres to the street line.

b) In all other cases, the minimum front yard shall be 4.5 metres. Notwithstanding the foregoing, no part of any building used to accommodate off-street parking shall be

located closer than 6.0 metres to the street line.

(By-law 2018-094. S.4)

- a) For dwellings and additions to dwellings that project into the existing front yard constructed after the effective date of this by-law:
 - i) The average of the front yards of the abutting lots, plus 1.0 metre;
 - ii) In the case where there is a vacant lot abutting the affected lot, the average of the front yards, plus 1.0 metre, of the closest building on the next adjacent lot, which must be no more than 30 metres from the affected lot's closest side lot line;
 - iii) In the case of a corner lot, the front yard, plus 1.0 metre, of the abutting lot on which the dwelling faces the same side of the street,

Notwithstanding the foregoing, no part of any building used to accommodate off-street parking shall be located closer than 6.0 metres to the street line.

b) In all other cases there is no maximum front yard.(By-law 2018-094, S.4)

1.2 metres, except in the case of a driveway leading to a required parking space situated between the main building and the side lot line, in which case the minimum side yard shall be 3.0 metres.

7.5 metres

10.5 metres

A total of 55 percent, of which the habitable portion of the dwelling shall not exceed 45 percent and the accessory buildings or

Maximum Front Yard for lands identified on Appendix 'H', any Semi-Detached Duplex Dwelling in a building constructed after the effective date of this by-law, and any principal dwelling constructed after the effective date of this by-law on a lot containing an Additional Dwelling Unit (Detached) (Amended: By-law 2021-040, S.25)

Minimum Rear Yard

Minimum Side Yard

Maximum Building Height

Maximum Lot Coverage (By-law 2003-163, S.38)

structures, whether attached or detached, shall not exceed 15 percent. (By-law 2003-163, S.38)

Off-Street Parking In accordance with Section 6.1 of this By-law.

Pedestrian EntranceA maximum of one pedestrian entrance for
each semi-detached house or semi-
detached duplex house may be located on

.3 For Additional Dwelling Unit (Detached)

In accordance with regulations set out in Sections 5.22 and 5.22.1 of this By-law.

(Amended: By-law 2024-073, S.18)

.4 For Residential Care Facility

Maximum Size

Other Regulations

8 residents

each street line façade.

In accordance with the regulations of the dwelling type in which such facility is located.

Off-Street Parking

In accordance with Section 6.1 of this By-law.

.5 For Home Business

In accordance with regulations set out in Section 5.13 of this By-law.

.6 For Additional Dwelling Unit (Attached)

In accordance with regulations set out in Sections 5.22, 5.22.2 and 5.22.3 of this By-law.

(Amended: By-law 2024-073, S.19)

.7 For Lodging Houses

In accordance with the regulations of the dwelling type in which the lodging house is located.

(By-law 2024-135, S. 29)